

<u>www.cellcook.com</u>

## LAMP2 Rabbit mAb (AR1089)

## **Key Features**

Host Species:	Rabbit		
Reactivity:	Human,Mouse		
Applications:	WB,IHC,IF,IP,ELISA		
lsotype:	lgG,Kappa		
MW:	45kD (Calculated)		
	120kD (Observed)		
Recommended Dilution Ratios			
IHC	1:200-1000		
WB:	1:1000-5000		
IF:	1:200-1000		
ELISA:	1:5000-20000		
IP:	1:50-200		
Storage	-15°C to -25°C/1 year (Do n	ot lower than -25°C)	
<b>Basic Information</b>			
Clonality	Monoclonal		
Immunogen Information			
Specificity	Endogenous		
Target Information			
Gene name	LAMP2		
Protein Name	Lysosome-associated membrane glycoprotein 2		
	Organism	Gene ID	UniProt ID
	Human	3920	P13473
	Mouse		P17047
Cellular Localization	Membranous		
Tissue specificity	Isoform LAMP-2A is highly expressed in placenta, lung and liver, less in kidney and pancreas, low in brain and skeletal muscle (PubMed:7488019, PubMed:26856698). Isoform LAMP-2B is		

detected in spleen, thymus, prostate, testis, small intestine, colon, skeletal muscle, brain, placenta, lung, kidney, ovary and pancreas and liver (PubMed:7488019, PubMed:26856698). Isoform LAMP-2C is detected in small intestine, colon, heart, brain, skeletal muscle, and at lower levels in kidney and placenta (PubMed:26856698).

## Validation Data







Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-LAMP2 antibody. The HRP conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.

Lane 1: Jurkat Predicted band size: 45kDa Observed band size:120kDa

Mouse liver was stained with Anti-LAMP2 rabbit antibody

Human kidney was stained with Anti-LAMP2 rabbit antibody

Human liver was stained with Anti-LAMP2 rabbit antibody

## For Research Use Only